

CRITICAL MEDICAL AND SURGICAL NURSING JOURNAL

Vol. 11, no. 2, October 2022

Journal Homepage: https://e-journal.unair.ac.id/CMSNJ



This is an Open Access article distributed under the terms of the Creative **Commons Attribution** 4.0 International License

The Influence of Aerobic and Ergonomic Combination Gymnastics in **Blood Pressure in Adult Age Patients**

Fadli Maulana Agitiyo 🕒, Abu Bakar 🕒, and Laily Hidayati 🕩



Faculty of Nursing, Airlangga University, Surabaya, East Java, Indonesia

ARTICLE HISTORY

Received: September 28, 2022 Accepted: December 20, 2022 Published: February 15, 2023

KEYWORDS

hypertension, gymnastics, adults

CORRESPONDING AUTHOR

Abu Bakar abu.bakar@fkp.unair.ac.id Faculty of Nursing, Airlangga University, Surabaya, East Java, Indonesia

ABSTRACT

Introduction: Hypertension is a disease characterized by increased blood pressure in the body. One of the non-pharmacological management of hypertension is to do a combination of aerobic and ergonomic exercises to optimize the heart and blood vessels. This study describes the effect of a combination of aerobic and ergonomic gymnastics on blood pressure in adult sufferers in Kepuh Village, Palimanan District, Cirebon.

Methods: The research design used in this study was a pre-experimental design with a pretest-posttest one-group design and using a probability sampling technique with a purposive sampling type of 25 respondents which included patients aged 25-45 years who suffered from hypertension. This study used observation sheets and blood pressure measurements using a sphygmomanometer, and data analysis using the Wilcoxon test with a significance value of 5% (0.05).

Results: Research results in the Wilcoxon test for the pre and post-systolic blood pressure showed a value of p = 0.000, while for pre and post-diastolic blood pressure the value was p = 0.001 which indicates that there is an effect of combined aerobic and ergonomic exercise on blood pressure in adult patients in Kepuh Village, Palimanan District, Cirebon Regency.

Conclusion: The combination of aerobic and ergonomic exercise has an effect on systolic and diastolic blood pressure in adult hypertensive patients in Kepuh Village, Cirebon. Therefore, a combination of aerobic and ergonomic exercise can be an alternative to regulating blood pressure in adult hypertensive patients.

Cite this as:

Agitiyo, F. M., Bakar, A., & Hidayati, L. (2022). The Influence of Aerobic and Ergonomic Combination Gymnastics in Blood Pressure in Adult Age Patient Crit. Méd. Surgical. Nurs. J, 11(2),53-57.

INTRODUCTION

Indonesia is currently in a quite difficult situation in handling health problems, experiencing a shift in epidemiology (Epidemiological Transition), namely a shift in the causes of death from non-communicable diseases which have increased in the past few decades, from 1990-2014. One of the NCDs that is still a problem today is Hypertension, the prevalence rate of hypertension in Indonesia based on the results of measurements in the population aged \geq 18 years by province in 2018 showed an increase compared to the 2013 Riskesdas of 25.8% up to 34.1%(RI Ministry of Health 2018). Based on data from the UPTD Kepuh Health Center, hypertension ranks 5th in 2018 with a

total of 3226 sufferers, while in 2019 the number of sufferers was 3042 in the Kepuh Health Center area. According to research, gymnastics is an alternative non-pharmacological therapy for people with hypertension. Ergonomic exercise in relation to hypertension is proven to have an effect on blood pressure as in research.(Alifatun 2019, Hanik 2018, Syahrani 2017, Thei 2018, Safri 2015) In addition to blood pressure, it is also proven in dealing with pain(Solar 2018), this is because ergonomic exercises are cheap, easy to do, and can be modified according to one's personal wishes (Wratsongko 2014). Aerobic exercise in relation to hypertension has an effect on blood pressure as in research (Rismayanthi 2015, Roza 2015, Indrawati 2017) This exercise is an

Table 1. Distribution of the characteristics of the respondents

| Characteristics of | Respondents | | |
|------------------------|-------------|-------|--|
| Respondents | n | % | |
| Age | | | |
| 25 - 35 years | 0 | 0.0 | |
| 36 – 45 years | 25 | 100.0 | |
| Gender | | | |
| Man | 0 | 0.0 | |
| Woman | 25 | 100.0 | |
| Smoking history | | | |
| Smoke | 0 | 0.0 | |
| Do not smoke | 25 | 100.0 | |
| Eat foods high in salt | | | |
| Yes | | | |
| No | 4 | 16.0 | |
| | 21 | 84.0 | |
| Family history of | | | |
| hypertension | | | |
| There is | 8 | 32.0 | |
| There isn't any | 17 | 68.0 | |
| Consumption of | | | |
| hypertension drugs | | | |
| Yes | 5 | 20 | |

exercise that has light movements and can be done by anyone, from the age of children, adults and even the elderly, and is beneficial for the lungs.(Pomatahu 2015). Based on this, this study will discuss the combination of aerobic and ergonomic exercise as a non-pharmacological intervention and without eliminating pharmacological therapy in the management of hypertension in adults in the work area of the UPTD Kepuh Health Center, Cirebon Regency.

2. METHODS

The research design used in this study was the Pre-Experiment with one group pre-post test design, namely revealing causal relationships by involving one group of subjects.(Nursalam 2015).(Nursalam 2015). The sample size in this study was adults with. There are 25 adult patients with primary hypertension in Kepuh village. The inclusion criteria are individuals aged 25-45 years, systolic blood pressure > 130 mmHg and diastolic blood pressure < 110 mmHg, able to communicate, focus and follow the instructor's movements well. This study used a nonprobability sampling technique with a purposive sampling type. The location of this research is in Kepuh Village, the working area of the Kepuh Health Center, Cirebon Regency and was carried out on January 31 2021 - February 13 2021.

3. RESULTS

The characteristics of the respondents based on the age range of 36-45 years were 25 respondents (100%) which indicated that all respondents were aged 36-45 years. Characteristics of respondents

Table 2. Respondents' systolic blood pressure data before and after doing exercise in Kepuh Village on 31 January 2021 – 13 February 2021

| , | 1010014411 -0- | | | |
|-----------------------|-----------------------------|----------------|--|--|
| | Respondent's Systolic Blood | | | |
| _ | Pressure | | | |
| | Systolic Blood | Systolic Blood | | |
| | Pressure | Pressure | | |
| _ | Pre | Post | | |
| Means | 140.36mmHg | 123.88mmHg | | |
| Maximum Value | 177 mm Hg | 136 mm Hg | | |
| Min Value | 130mmHg | 112 mm Hg | | |
| Standard Deviation | 10,140 | 6,200 | | |

based on female gender, namely as many as 25 respondents (100%) indicating all respondents were female. Characteristics of respondents based on history of smoking habits, that is, all of them do not have smoking habits, namely 25 respondents (100%). Characteristics of respondents based on the consumption of foods high in salt, namely most of them did not consume foods high in salt, namely as many as 21 respondents (84%) and the remaining 4 respondents (16%) consumed foods high in salt. Characteristics of respondents based on history of hypertension in the family, namely most did not have a history of hypertension in the family, namely as many as 17 respondents (68%) and the remaining 8 respondents (32%) had a history of hypertension in the family. Based on the characteristics of respondents taking hypertension medication, the majority did not take hypertension medication, namely 20 respondents (80%).

The average systolic blood pressure of the respondents decreased by 16.48 mmHg. Based on the Wilcoxon Rank Test for the pre and post systolic blood pressure, the respondent group showed a value of p = 0.000 (p < 0.05).

The average diastolic blood pressure of the respondents decreased by 5.32 mmHg. Based on the Wilcoxon Rank Test for the pre and post systolic blood pressure, the respondent group showed a value of p = 0.001 (p < 0.05).

Measuring blood pressure before the intervention showed that most of the respondents were in the pre-

Table 3. Diastolic blood pressure data for respondents after doing gymnastics in Kepuh Village on 31 January 2021 – 13 February 2021

| 2021 - 13 i cbi dai y 2021 | | | | | | |
|----------------------------|-----------------|-----------------|--|--|--|--|
| | Diastolic Blood | Diastolic Blood | | | | |
| | Pressure | Pressure | | | | |
| | Pre | Post | | | | |
| Means | 85.56mmHg | 80.24mmHg | | | | |
| Maximum Value | 98 mm Hg | 88 mm Hg | | | | |
| Min Value | 77 mm Hg | 72 mm Hg | | | | |
| Standard Deviation | 6,455 | 4,176 | | | | |
| | | | | | | |

hypertension and stage I hypertension categories, with 13 and 11 respondents. Blood pressure measurements after the intervention showed that most of the respondents were in the normal category, namely 15 respondents.

4. DISCUSSION

Systolic blood pressure before and after doing a combination of aerobic and ergonomic exercises in adult patients in the UPTD area of the Kepuh Health Center, Cirebon Regency

Research finds research that is in line with these conditions, namely research according to (Arifin, Weta, and Ratnawati 2016) who say that for women (especially aged 45-55 years) is a pre-menopausal period so that blood pressure increases. The characteristic condition of high blood pressure can also be caused by a lack of routine activities such as gymnastics, during the Covid 19 pandemic as it is now, most of the respondents very rarely did light physical activities such as gymnastics. In line with research conducted by (Katuk 2018) which states that there is a significant relationship between physical activity and the degree of hypertension, the higher the intensity of the activity carried out the less the risk of developing hypertension. In research conducted by(Refor Arniati Baeha et al. 2020) also revealed that there was a decrease in systolic blood pressure after doing hypertension exercises. blood pressure stability(Wratsongko 2014). In addition, this exercise is carried out in the morning, namely 07:30 - 09:00 WIB, this is done because it is based on research conducted by(Rofiq, Kinanti, and Andiana 2018) states that a good exercise is at 7 am to 9 am. Because at that hour the body produces the hormone serotonin which can improve mood, besides that there is sunlight which is good for the body, because the main biological effect of active vitamin D3 is to maintain serum calcium concentrations within the normal range. good for facilitating active vitamin D3 is maintaining serum calcium concentrations within the normal range related to blood pressure regulation.

Diastolic blood pressure before and after doing a combination of aerobic and ergonomic exercises in adult patients in the UPTD area of the Kepuh Health Center, Cirebon Regency.

This combination of aerobic and ergonomic exercise causes blood pressure to increase for a short time and you will return to normal when exercising(Manembu, Rumampuk, and Danes 2015). Gymnastic exercises can encourage the release of NO which is a factor in blood vessels which in turn helps produce vasorelaxation(Mayani Syahfitri, Safri 2015). Exercise training has also been shown to increase the function of vasodilation which will reduce peripheral resistance and lower blood pressure (Schuler, Adams, and Goto 2013). Aerobic exercise can help improve

Table 4. Data on the blood pressure categories of respondents before and after exercising in Kepuh Village on 31 January 2021 – 13 February 2021

| Blood pressure category | | Blood pressure | | | |
|-------------------------|----|-------------------------|--------|----|------|
| before exercise | | category after exercise | | | |
| Category | n | (%) | Catego | n | (%) |
| | | | ry | | |
| Pre | 13 | 52 % | Optima | 4 | 16 % |
| Hyperte | | | l | | |
| nsion | | | | | |
| Stage I | 11 | 44 % | Norma | 15 | 60 % |
| hyperte | | | l | | |
| nsion | | | | | |
| Stage II | 1 | 4 % | Pre- | 6 | 24 % |
| hyperte | | | Hypert | | |
| nsion | | | ension | | |

blood fat profiles, reduce total cholesterol, Low Density Lipoprotein (LDL), triglycerides and increase High Density Lipoprotein (HDL) as well as improve the hemostatic system and blood pressure (Ali 2013).

CONCLUSION

Based on the results of research that was conducted in Kepuh Village, Palimanan District, Cirebon Regency in Cirebon from January 31 to February 13, 2021, it can be concluded that there is the effect of combination aerobic and ergonomic exercise on systolic blood pressure in adult patients in Kepuh Village, Palimanan District, Cirebon Regency via. Also, there is the effect of a combination of aerobic and ergonomic gymnastics on diastolic blood pressure in adult patients in Kepuh Village, Palimanan District, Cirebon Regency.

REFERENCE

Alfiana, Nunik, Sufiati Bintanah, and Hapsari Sulistya Kusuma. 2014. "Relationship of Calcium and Sodium Intake on Systolic Blood Pressure in Hypertensive Patients Hospitalized at Tugurejo Hospital Semarang." Journal of Nutrition Muhammadiyah University of Semarang 3 (April): 8–15.

Ali, Mohammad Arif. 2013. "The Effect of Aerobic Exercise on Increasing High Density Lipoprotein Levels in Aerobic Gymnastics Athletes." Media Sports Science Indonesia 3 (2). https://doi.org/10.15294/miki.v3i2.4376.

ALIFATUN, VENI DWI. 2019. "EFFECT OF ERGONOMIC GYMNASTICS ON BLOOD PRESSURE OF ELDERLY EXPERIENCED HYPERTENSION IN

- KANUGRAHAN VILLAGE, KANUGRAHAN VILLAGE, MADURAN DISTRICT, LAMONGAN DISTRICT." UNAIR Vocational Faculty.
- Anggrainil, Puspita Rusdi, Ermita. 2015. "LEVELS of Na+, K+, Cl-, AND TOTAL BLOOD SERUM CALCIUM AND THEIR RELATIONSHIP WITH BLOOD PRESSURE IN HYPERTENSION SATISFACTION." Biomes 11 (1): 50. https://doi.org/10.21009/bioma11(1).6.
- Arif, Djauhar, and Dewi Hartinah. 2013. "Factors Associated with the Incidence of Hypertension in the Elderly in Pusling, Klumpit Village UPT Gribig Health Center, Kudus Regency." Jikk 4 (2): 18–34.
- Arifin, Muhammad Hafiz Bin Mohd, I Wayan Weta, and Ni Luh Ketut Ayu Ratnawati. 2016. "Factors Related to the Occurrence of Hypertension in the Elderly Group in the Work Area of the UPT Puskesmas Petang I Bandung Regency in 2016." Medika, E-Jurnal 5 (7): 1–23. http://ojs.unud.ac.id/index.php/eum.
- Astuti, Hutari Puji. 2017. "EFFECT OF HYPERTENSION GYMNASTICS ON GONDANGREJO," 129–34.
- Benjamin, Emelia J., Salim S. Virani, Clifton W. Callaway, Alanna M. Chamberlain, Alexander R. Chang, Susan Cheng, Stephanie E. Chiuve, et al. 2018. "Heart Disease and Stroke Statistics 2018 Update: A Report from the American Heart Association." Circulation 137 (12): E67–492. https://doi.org/10.1161/CIR.000000000000055 8.
- DAMAYANTI, RIRIN, and NOORTJE ANITA KUMAAT. 2020. "The Effect of Low Impact Aerobic Exercise on Blood Pressure of Brongkos Housewives Age 45-59 Years Kesamben Blitar." Journal of Sports Health 8(2): 51–58.
- Denyer, Michelle M, Victoria Dittmar, Carl Flagg, Lark A Ford, Margit B Gerardi, Leslie Goddard, Mary L Heye, et al. 2012. Introduction to Medical-Surgical Nursing. Edited by Teri Hines Burnham. 5th ed. Missouri: Elsevier, Inc.
- Department of health. 2009. "Age Category According to the Ministry of Health." MOH 2009 (75): 31–47.
- Cirebon District Health Office. 2018. "Health Profile of Cirebon District." Cirebon District Health Office 42 (4):

 https://doi.org/10.1017/CB09781107415324.0 04.
- Hadiyati, Fitrah, Awaliyah Tuanaya, Dwi Wahyuni, and Elfian Zulkarnain. 2018. "Promotive Efforts of Health Officers in Implementation of Elderly Posyandu at Mangli Public Health Center, Jember)" 1 (1): 11–16.
- Hanika, Ummi. 2018. "Thesis on the Effect of Ergonomic Gymnastics on Lowering Blood Pressure in the Elderly with Hypertension (Study at the Elderly Posyandu in Jabon Village, Jombang District, Jombang Regency)." Journal of Nursing, no. 9:1366. https://doi.org/10.1017/CB09781107415324.0 04.
- Harvard, University. 2015. "Secondary

- Hypertension." Harvard Health Publishing.
- Indrawati, Ns Lina, M Kep, and Lina Indrawati. 2017. "The Effect of Aerobic Exercise on Lowering Blood Pressure in Hypertension Sufferers at the 2017 Jatiasih Bekasi Community Health Center, Bekasi Indonesian Medical College of Health Sciences." Health 7(7): 18–20.
- Crap, Mario esau. 2018. "RELATIONSHIP BETWEEN PHYSICAL ACTIVITY AND HYPERTENSION DEGREES IN OUTPATIENT PATIENTS IN THE WORKING AREA OF TAGULANDANG PUSKESMAS, SITARO DISTRICT." Sam Ratulangi University 6:1–6.
- Republic of Indonesia Ministry of Health. 2018. "Main Results of Basic Health Research (RISKESDAS)."

 Journal of Physics A: Mathematical and Theoretical 44 (8): 1–200. https://doi.org/10.1088/1751-8113/44/8/085201.
- Kristiawan, Mauritius Septa, and I Nyoman Adiputra. 2019. "Satria Nusantara Gymnastics, Fast Walking Sports Lowers Blood Pressure in Elderly Hypertension at Renon Field, Denpasar." E-Jurnal Medika 8 (5): 1–6.
- Lewis, Sharon L, Shannon Ruff Dirksen, Margaret McLean Heitkemper, Linda Bucher, and Ian M Camera. 2011. Medical-Surgical Nursing Vol.1. Edited by Kristin Geen. 8th ed. Missouri: Elsevier, Inc.
- Manembu, Mercy, Jimmy Rumampuk, and Vennetia R. Danes. 2015. "The Effect of Sitting and Standing Positions on Systolic and Diastolic Blood Pressure in North Minahasa Regency Civil Servants." Journal of E-Biomedik 3 (3). https://doi.org/10.35790/ebm.3.3.2015.10150.
- Safri, Mayani Syahfitri, Jumaini. 2015. "EFFECTIVENESS OF **HEART HEALTHY** GYMNASTICS AND ERGONOMIC GYMNASTICS OF COMBINATION OF **DEEP** RELAXATION ON BLOOD PRESSURE IN PRIMARY HYPERTENSION PATIENTS." Riau University 2 (2). mayanisyahfitri@gmail.com.
- Molmen-Hansen, Harald Edvard, Tomas Stolen, Arnt Erik Tjonna, Inger Lise Aamot, Inga Schjerve Ekeberg, Gjertrud Aunet Tyldum, Ulrik Wisloff, Charlotte Bjork Ingul, and Asbjorn Stoylen. 2012. "Aerobic Interval Training Reduces Blood Pressure and Improves Myocardial Function in Hypertensive Patients." European Journal of Preventive Cardiology 19(2): 151–60. https://doi.org/10.1177/1741826711400512.
- Mukti, S., and E. Murbawani. 2014. "Relationship of Physical Activity and Energy Intake to Blood Pressure and Blood Glucose Levels in Medical Faculty Students." Diponegoro Medical Journal 3 (1): 103706.
- Nakamura, Yoichi, Kiyoji Tanaka, Noriko Yabushita, Tomoaki Sakai, and Ryosuke Shigematsu. 2007. "Effects of Exercise Frequency on Functional Fitness in Older Adult Women." Archives of Gerontology and Geriatrics 44 (2): 163–73. https://doi.org/10.1016/j.archger.2006.04.007.

- Nurain, Bianti. 2015. "Risk Factors of Hypertension." J Majority 4 (5): 10–19.
- Nursalam. 2015. Concept and Application of Nursing Research Methodology 4th Edition. Edited by Nursalam. Salem Medika. Issue 4. Jakarta: Salemba Medika.
- Pangaribuan, Benny Bradley Pradana, and Khairunnisa Berawi. 2016. "The Effect of Heart Gymnastics, Yoga, Elderly Exercise, and Aerobic Exercise in Lowering Blood Pressure in the Elderly." Majority 5 (4): 1–6.
- Pomatahu, Aisah R. 2015. Aerobic Exercise for Lung Health. Publishing Ideas.
- Prasetyo, Yudik. 2015. "Exercise for Hypertension Sufferers." Medicine, no. 1. https://doi.org/10.21831/medikora.v0i1.4721.
- Puar, and Et Al. 2016. "Secondary Hypertension in Adults." Singapore Medical Journal.
- Daughter, Alifia Fernanda. 2018. "The Importance of Early Adults Accomplishing Their Developmental Tasks." SCHOULID: Indonesian Journal of School Counseling 3 (2): 35. https://doi.org/10.23916/08430011.
- Refor Arniati Baeha, Baskara Lumban Tobing, Berkat Jaya Waruwu, Christopher Abdi Putra Zebua, and Tiarnida Nababan. 2020. "The Effect of Cardiac Exercise on Reducing Hypertension at UPT Puskesmas Helvetia Medan 2020." Imelda Scientific Journal of Nursing 6 (2): 105–10.
- Rismayanthi, Cerika. 2015. "Reducing Blood Pressure in Hypertension Patients Through Low Impact Aerobic Exercise." Medicine, no. 1:13–26. https://doi.org/10.21831/medikora.v0i1.4657.
- Rofiq, Fachrurrozi Ainur, Rias Gesang Kinanti, and Olivia Andiana. 2018. "The Effect of Morning and Evening Aerobic Exercise on Leukocyte Levels of Young Girls in Dormitories, State University of Malang." Faculty of Sports Science, Department of Sports Science, State University of Malang, 1–6.
- Roza Fetriwahyuni1, Siti Rahmalia2, Herlina3. 2015. "EFFECT OF LOW IMPACT AEROBIC GYMNASTICS ON BLOOD PRESSURE IN HYPERTENSION SATISFACTIONS" 2 (2).
- Rusdi. 2009. Beware! Can Die Quickly Due To Hypertension And Diabetes. jogjakarta: Power Books (IHDINA).
- Santoso, Djoko. 2010. Bonsai Hypertension. surabaya: Pen Net.
- Schuler, Gerhard, Volker Adams, and Yoichi Goto. 2013. "The Role of Exercise in the Prevention of Cardiovascular Disease: Results, Mechanisms, and New Perspectives." European Heart Journal 34 (24): 1790–99. https://doi.org/10.1093/eurheartj/eht111.
- Schwartz, Gary L., and Sheldon G. Sheps. 2004. "A Review of the Sixth Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure." Current Opinion in Cardiology 14(2): 161–68. https://doi.org/10.1097/00001573-199903000-00014.
- Stewart, Kerry J, Anita C Bacher, Katherine L Turner,

- Jerome L Fleg, Paul S Hees, Edward P Shapiro, Matthew Tayback, and Pamela Ouyang. 2005. "Effect of Exercise on Blood Pressure in Older Persons." American Medical Association. All 165.
- Sudoyo, Aru. 2010. Textbook of Internal Medicine Volume 1. Edition V. Jakarta: Internal Publishing.
- Suiraoka, IP. 2012. "Degenerative Diseases: Recognizing, Preventing and Reducing Risk Factors for 9 Degenerative Diseases." Nuha Medica, 1–123.
- Surya, Andi, and Erna Rochmawati. 2018. "Effect of Ergonomic Gymnastics on Pain Levels of Patients With Osteoarthritis in the Elderly At Lawang Child and Elderly Homes." The Effect of Ergonomic Exercise on Pain Levels in Osteoarthritis Patients in the Elderly at the Foster Home for Children and the Elderly Griya Asih Lawang 3 (1): 142–47.
- shahrani. 2017. "Effect of Ergonomic Exercise on Systolic Blood Pressure in Elderly with Hypertension at Tresna Werdha Budi Mulya 3 Margaguna Social Institution, South Jakarta." Faculty of Medicine and Health Sciences, Nursing Study Program, Syarif Hidayatullah State Islamic University, Jakarta.
- Thei, Ananda DS, Maria Sambriong, and Angela Gatum. 2018. "Effect of Ergonomic Gymnastics on Lowering Blood Pressure in Elderly People with Hypertension at the UPT Budi Agung Social Care Institution, City of Kupang," 18–22.
- full-blooded hernawan, fahrun Nur Rosyid. 2017.

 "EFFECT OF ELDERLY HYPERTENSION
 GYMNASTICS ON REDUCING ELDERLY'S BLOOD
 PRESSURE WITH HYPERTENSION AT PANTI
 WREDA DARMA BHAKTI, PAJANG VILLAGE,
 SURAKARTA TOTOK" 10 (1). https://doi.org/N
 1979-7621.
- WHO. 2013. "Noncommunicable Diseases Country Profiles 2014." Journal of the American Geriatrics Society 61(4): 558–64. https://doi.org/10.1111/jgs.12171.
- Wratsongko, Madyo. 2014. The Power of Spiritual Detox. Gramedia Compass